

**Palaeontological Impact Assessment for the
Mining Right Application for the Glen Thorne
Quarry, northeast of Bloemfontein
Free State Province**

Desktop Study (Phase 1)

**Subcontracted by
Beyond Heritage (Pty) Ltd**

05 September 2025

Prof Marion Bamford
Palaeobotanist
P Bag 652, WITS 2050
Johannesburg, South Africa
Marion.bamford@wits.ac.za

1. Executive Summary

A Palaeontological Impact Assessment was requested for the mining right application to recommence mining at Glen Thorne quarry on Farm Glen Thorne 2163, about 20 km northeast of Bloemfontein, just north of the R30 and N1 intersection, Free State Province.

To comply with the regulations of the South African Heritage Resources Agency (SAHRA) in terms of Section 38(8) of the National Heritage Resources Act, 1999 (Act No. 25 of 1999) (NHRA), a desktop Palaeontological Impact Assessment (PIA) was completed for the proposed development.

The proposed site lies on the non-fossiliferous Jurassic dolerite and possibly with a small section on the very highly sensitive Adelaide Subgroup (Karoo Supergroup). Therefore, a Fossil Chance Find Protocol should be added to the EMPr. Based on this information it is recommended that no further palaeontological impact assessment is required unless fossils are found by the contractor, environmental officer or other designated responsible person once excavations, drilling or mining activities have commenced. Since the impact will be low, as far as the palaeontology is concerned, the project should be authorised.

ASPECT	SCREENING TOOL SENSITIVITY	VERIFIED SENSITIVITY	OUTCOME STATEMENT/ PLAN OF STUDY	RELEVANT SECTION MOTIVATING VERIFICATION
Palaeontology	Very High	Low	Palaeontological Impact Assessment	Section 7.2. SAHRA Requirements

2. Declaration of independence and summary of expertise.

a. Declaration

This report has been compiled by Professor Marion Bamford, of the University of the Witwatersrand, sub-contracted by Beyond Heritage (Pty) Ltd, Modimolle, South Africa. The views expressed in this report are entirely those of the author and no other interest was displayed during the decision-making process for the Project.

Specialist: Prof Marion Bamford

Signature: 

b. Expertise

The Palaeontologist Consultant: Prof Marion Bamford

Qualifications: PhD (Wits Univ, 1990); FRSSAf, mASSAf, PSSA

Experience: 36 years research and lecturing in Palaeontology; over 28 years PIA studies and over 450 projects completed.

c. Specialist declaration of independence and statement of objectivity for the assessment.

Declaration of Independence

I, Marion Bamford, declare that –

General declaration:

- I act as the independent palaeontology practitioner in this application,
- I will perform the work relating to the application in an objective manner, even if this results in views and findings that are not favourable to the applicant,
- I declare that there are no circumstances that may compromise my objectivity in performing such work,
- I have expertise in conducting palaeontological impact assessments, including knowledge of the Act, Regulations and any guidelines that have relevance to the proposed activity;
- I will comply with the Act, Regulations and all other applicable legislation,
- I will take into account, to the extent possible, the matters listed in section 38 of the NHRA when preparing the application and any report relating to the application,
- I have no, and will not engage in, conflicting interests in the undertaking of the activity,
- I undertake to disclose to the applicant and the competent authority all material information in my possession that reasonably has or may have the potential of influencing - any decision to be taken with respect to the application by the competent authority; and - the objectivity of any report, plan or document to be prepared by myself for submission to the competent authority,
- I will ensure that information containing all relevant facts in respect of the application is distributed or made available to interested and affected parties

and the public and that participation by interested and affected parties is facilitated in such a manner that all interested and affected parties will be provided with a reasonable opportunity to participate and to provide comments on documents that are produced to support the application,

- I will provide the competent authority with access to all information at my disposal regarding the application, whether such information is favourable to the applicant or not
- All the particulars furnished by me in this form are true and correct,
- I will perform all other obligations as expected from a heritage practitioner in terms of the Act and the constitutions of my affiliated professional bodies; and
- I realise that a false declaration is an offence in terms of regulation 71 of the Regulations and is punishable in terms of section 24F of the NEMA.

Disclosure of Vested Interest

- I do not have and will not have any vested interest (either business, financial, personal or other) in the proposed activity proceeding other than remuneration for work performed in terms of the Regulations.

d. Summary of the specialist's expertise

I, Marion Bamford, am a professional Palaeontologist with a PhD in Palaeontology (Wits University, 1990). I have more than 35 years of experience in palaeontological research and have published over 190 papers in peer-reviewed journals and published more than 14 scholarly book chapters. I review manuscripts for international and local journals and also review funding proposals for international funding bodies. Currently I am the Director of the Evolutionary Studies Institute, the only palaeontological institute in Southern Africa.

I have completed more than 450 palaeontological impact assessments (desktop and site visit studies) in the last 28 years for a variety of projects (solar energy projects, wind energy projects, powerlines, roads, infrastructure, housing and retail projects and from all over South Africa. I have been subcontracted by over 30 different companies. From my own projects and training provided by me and other staff in the ESI for Palaeontological Impact Assessments, I am familiar with the legislation.

Table of Contents

1. Executive Summary	i
2. Declaration of independence and summary of expertise.....	1
3. Project Background.....	4
4. Methods and Terms of Reference.....	7
5. Geology and Palaeontology.....	8
i. Project location and geological context	8
ii. Palaeontological context.....	10
6. Impact assessment	12
7. Assumptions and uncertainties.....	13
8. Recommendation.....	13
9. References	14
10. Chance Find Protocol	15
11. Appendix A – Examples of fossils	15
Figures 1-2: Google Earth maps of the project area	6
Figure 3: Regulation 2(2) map for the proposed MRA	7
Figure 4: Geological map of the area around the project site.....	8
Figure 5: SAHRIS palaeosensitivity map for the site	10
Figure 6: DFFE palaeosensitivity map	11
Table 1: NEMA and EIA Regulations	4
Table 2: List of abbreviations for geology map	8
Table 3: Impact Assessment criteria	12

3. Project Background

A Palaeontological Impact Assessment was requested for the mining right application to recommence mining at Glen Thorne quarry on Farm Glen Thorne 2163, about 20 km northeast of Bloemfontein, just north of the R30 and N1 intersection, Free State Province (Figures 1-3).

The site has an abandoned quarry and the owners of Farm Glen Thorne plan to begin quarrying for rock again.

A Palaeontological Impact Assessment was requested for the Glen Thorne Mining right Application (MRA) project. To comply with the regulations of the South African Heritage Resources Agency (SAHRA) in terms of Section 38(8) of the National Heritage Resources Act, 1999 (Act No. 25 of 1999) (NHRA), a desktop Palaeontological Impact Assessment (PIA) was completed for the proposed development and is reported herein. The minimum requirements for reported are listed in Table 1.

Table 1: National Environmental Management Act, 1998 (Act No. 107 of 1998) (NEMA) and Environmental Impact Assessment (EIA) Regulations, 2014 (as amended) - Requirements for Specialist Reports (Appendix 6). Includes the requirements from GNR Appendix 6 of GN 326 EIA Regulation 2017.

	A specialist report prepared in terms of the Environmental Impact Regulations of 2017 must contain:	Relevant section in report
ai	Details of the specialist who prepared the report,	Section 2
a ii	The expertise of that person to compile a specialist report including a curriculum vitae	Section 2
b	A declaration that the person is independent in a form as may be specified by the competent authority	Section 2
c	An indication of the scope of, and the purpose for which, the report was prepared	Section 3
ci	An indication of the quality and age of the base data used for the specialist report: SAHRIS palaeosensitivity map accessed – date of this report	Yes
c ii	A description of existing impacts on the site, cumulative impacts of the proposed development and levels of acceptable change	Section 6
d	The date and season of the site investigation and the relevance of the season to the outcome of the assessment	N/A
e	A description of the methodology adopted in preparing the report or carrying out the specialised process	Section 4
f	The specific identified sensitivity of the site related to the activity and its associated structures and infrastructure	Section 6

	A specialist report prepared in terms of the Environmental Impact Regulations of 2017 must contain:	Relevant section in report
g	An identification of any areas to be avoided, including buffers	N/A
h	A map superimposing the activity including the associated structures and infrastructure on the environmental sensitivities of the site including areas to be avoided, including buffers;	N/A
i	A description of any assumptions made and any uncertainties or gaps in knowledge;	Section 7
j	A description of the findings and potential implications of such findings on the impact of the proposed activity, including identified alternatives, on the environment	Section 8
k	Any mitigation measures for inclusion in the EMPr	Section 10, Appendix A
l	Any conditions for inclusion in the environmental authorisation	N/A
m	Any monitoring requirements for inclusion in the EMPr or environmental authorisation	Section 10, Appendix A
ni	A reasoned opinion as to whether the proposed activity or portions thereof should be authorised	Section 8
nii	If the opinion is that the proposed activity or portions thereof should be authorised, any avoidance, management and mitigation measures that should be included in the EMPr, and where applicable, the closure plan	Sections 8, 10
o	A description of any consultation process that was undertaken during the course of carrying out the study	N/A
p	A summary and copies of any comments that were received during any consultation process	N/A
q	Any other information requested by the competent authority.	N/A
2	Where a government notice gazetted by the Minister provides for any protocol or minimum information requirement to be applied to a specialist report, the requirements as indicated in such notice will apply.	N/A




Figure 1: Google Earth map of the general area to show the relative land marks. The Glen Thorne quarry is shown by the green polygon.





Figure 2: Google Earth Map of the Glen Thorne Quarry that has been active in the past, The Mining Right area is shown by the green outline.



4. Methods and Terms of Reference

The Terms of Reference (ToR) for this study were to undertake a PIA and provide feasible management measures to comply with the requirements of SAHRA.

The methods employed to address the ToR included:

1. Consultation of geological maps, literature, palaeontological databases, published and unpublished records to determine the likelihood of fossils occurring in the affected areas. Sources include records housed at the Evolutionary Studies Institute at the University of the Witwatersrand and SAHRA databases; eg <https://sahris.sahra.org.za/map/palaeo>
2. Where necessary, site visits by a qualified palaeontologist to locate any fossils and assess their importance (*not applicable to this assessment*);
3. Where appropriate, collection of unique or rare fossils with the necessary permits for storage and curation at an appropriate facility (*not applicable to this assessment*); and
4. Determination of fossils' representativity or scientific importance to decide if the fossils can be destroyed or a representative sample collected (*not applicable to this assessment*).

5. Geology and Palaeontology

i. Project location and geological context




Figure 3: Geological map of the area around the Farm Glen Thorne with the quarry site indicated within the yellow rectangle. Abbreviations of the rock types are explained in Table 2. Map enlarged from the Geological Survey 1: 250 000 map 2826 Winburg.

Table 2: Explanation of symbols for the geological map and approximate ages (Johnson et al., 2006;). SG = Supergroup; Fm = Formation; Ma = million years; grey shading = formations impacted by the project.

Symbol	Group/Formation	Lithology	Approximate Age
Q	Quaternary	Alluvium, sand, calcrete	Quaternary ca 1.0 Ma to Present
Jd	Jurassic dykes	Dolerite dykes, intrusive	Jurassic, Ca 183 Ma
Pa/Pne	Normandien Fm, Adelaide Subgroup, Beaufort Group, Karoo SG	Shale, mudstone, sandstone	Late Permian, ca 256 - 251 Ma

The project lies in the central part of the main Karoo Basin where the Beaufort Group sediments of the Karoo Supergroup are exposed. They are unconformably overlain by fluvial sands and alluvium that were deposited during the Quaternary period (Figure 4).

The Karoo Supergroup rocks cover a very large proportion of South Africa and extend from the northeast (east of Pretoria) to the southwest and across to almost the KwaZulu Natal south coast. It is bounded along the southern margin by the Cape Fold Belt and along the northern margin by the much older Transvaal Supergroup rocks. Representing some 120 million years (300 – 183Ma), the Karoo Supergroup rocks have preserved a diversity of fossil plants, insects, vertebrates and invertebrates.

Overlying the basal Dwyka Group glaciogene rocks are rocks of the Eccu Group that are Early Permian in age. There are eleven formations recognised in this group but they do not all extend throughout the Karoo Basin. In the central and eastern part are the following formations, from base upwards: Pietermaritzburg, Vryheid and Volksrust Formations. All of these sediments have varying proportions of sandstones, mudstones, shales and siltstones and represent shallow to deep water settings, deltas, rivers, streams and overbank depositional environments.

Overlying the Eccu Group are the rocks of the Beaufort Group that has been divided into the lower Adelaide Subgroup for the Upper Permian strata, and the Tarkastad Subgroup for the Early to Middle Triassic strata. As with the older Karoo sediments, the formations vary across the Karoo Basin.

In this part of the basin, east of 24°E, three formations are recognised in the Adelaide Subgroup, the basal Volksrust Formation that is also included in the eccu Group, and the upper Normandien Formation. The latter has been divided into five members only where exposures are good. Here in the Free State the Adelaide Subgroup is difficult to subdivide.

Large exposures of Jurassic dolerite dykes occur throughout the area. These intruded through the Karoo sediments around 183 million years ago at about the same time as the Drakensberg basaltic eruption.

There were two large basins dominating southern Africa during the Cenozoic, with the Kalahari Basin to the west and the Bushveld basin to the east. Both basins are bounded along their southern extent by the more or less west-east trending Griqualand-Transvaal Axis (Partridge et al., 2006). These sediments are not easy to date but recent attempts are gradually filling in the history of the sands, sand dunes and inter-dunes (Botha, 2021).

Quaternary Kalahari sands cover large parts of the rocks in this region, especially to the west. This is the largest and most extensive palaeo-erg in the world (Partridge et al., 2006) and is composed of extensive aeolian and fluvial sands, sand dunes, calcrete, scree and colluvium. Periods of aridity have overprinted the sands, and calcrete and silcrete are common. Most geological maps indicate these sands simply descriptively (aeolian sand, gravelly sand, calcrete) or they are lumped together as the Gordonia Formation because the detailed regional lithostratigraphic work has not been done. Nonetheless, these sands have eroded from the interior and have been transported by wind or water to fill the basin. Reworking of the sands or stabilisation by vegetation has occurred. Probable ages of dune formation are around 100 kya (thousand years), 60 kya, 27-23 kya and 17-10 kya (in Botha, 2021).

ii. Palaeontological context

The palaeontological sensitivity of the area under consideration is presented in Figures 5 and 6. The site for mining is mostly in the non-fossiliferous dolerite of Jurassic age (grey in the SAHRIS map, Figure 5; yellow in the DFFE screening map, Figure 6). A small portion on the northeast corner is on the potentially very highly sensitive Adelaide subgroup but this could be an error based on the resolution of the mapping.




Figure 5: SAHRIS palaeosensitivity map for the site for the Glen Thorne Quarry MRA shown within the yellow rectangle.

The **Adelaide Subgroup** is part of the eastern foredeep basin and was deposited in the overfilled or non-marine phase (Catuneanu et al., 2005) and so comprises terrestrial deposits. There are numerous fining-upward cycles, abundant red mudrocks and sedimentary structures that indicate deposition under fluvial conditions (Johnson et al., 2006). Some of the lower strata probably represent a subaerial upper delta-plain environment and the generally finer grained materials are typical of meandering rather than braided rivers. Channel deposits are indicated by sandstones while overbank deposits are indicated by the mudstones (Johnson et al., 2006).

The **Normandien Formation** is represented by the *Daptocephalus* Assemblage Zone. The **Daptocephalus Assemblage Zone** is recognised by the co-occurrence of the dicynodontoid *Daptocephalus leoniceps*, the therocephalian *Theriognathus microps*, and the cynodont *Procynosuchus delaharpeae* (Viglietti, 2020). This has been further divided into two subzones, the lower *Dicynodon -Theriognathus* Subzone (in co-occurrence with *Daptocephalus*), and the upper *Lystrosaurus maccaigi* – *Moschorhinus kitchingi* Subzone (ibid). Other taxa include fish, amphibians, parareptiles, eureptiles, biarmosuchians, anomodontians, gorgonopsians, therocephaleans, cynodonts and molluscs. The flora is more diverse than the older Assemblage Zones and comprises glossopterids, mosses, ferns, sphenophytes, lycopods, cordaitaleans and gymnosperm woods (Plumstead, 1969; Anderson and Anderson, 1985; Bamford, 2004).

Dolerite is an igneous rock that has intruded through the sedimentary layer along cracks and fissures, then cooled and solidified. The heat from the molten material often alters and damages the sediments through which it has intruded.



Figure 6L DFFE screening map for the Glen Thorne Quarry MRA.

Dolerite is an igneous intrusive rock so it does not preserve fossil (Cowan, 1995; Briggs and McMahon, 2016) so the correct palaeosensitivity is insignificant to zero (Figure 5; SAHRIS). The northeast portion of the quarry appears to be on the very highly sensitive Adelaide Subgroup but this is probably a result of the resolution of the mapping. It is more likely that the material to be mined is dolerite as it is much harder than shales or mudstones of the Adelaide Subgroup.

6. Impact assessment

An assessment of the potential impacts to possible palaeontological resources considers the criteria encapsulated in Table 3:

Table 3a: Criteria for assessing impacts

PART A: DEFINITION AND CRITERIA		
Criteria for ranking of the SEVERITY/NATURE of environmental impacts	H	Substantial deterioration (death, illness or injury). Recommended level will often be violated. Vigorous community action.
	M	Moderate/ measurable deterioration (discomfort). Recommended level will occasionally be violated. Widespread complaints.
	L	Minor deterioration (nuisance or minor deterioration). Change not measurable/ will remain in the current range. Recommended level will never be violated. Sporadic complaints.
	L+	Minor improvement. Change not measurable/ will remain in the current range. Recommended level will never be violated. Sporadic complaints.
	M+	Moderate improvement. Will be within or better than the recommended level. No observed reaction.
	H+	Substantial improvement. Will be within or better than the recommended level. Favourable publicity.
Criteria for ranking the DURATION of impacts	L	Quickly reversible. Less than the project life. Short term
	M	Reversible over time. Life of the project. Medium term
	H	Permanent. Beyond closure. Long term.
Criteria for ranking the SPATIAL SCALE of impacts	L	Localised - Within the site boundary.
	M	Fairly widespread – Beyond the site boundary. Local
	H	Widespread – Far beyond site boundary. Regional/ national
PROBABILITY (of exposure to impacts)	H	Definite/ Continuous
	M	Possible/ frequent
	L	Unlikely/ seldom

Table 3b: Impact Assessment

PART B: Assessment		
SEVERITY/NATURE	H	-
	M	-
	L	Dolerite and soils do not preserve fossils; so far there are no records from the Adelaide Subgroup of plant or animal fossils in this region so it is very unlikely that fossils occur on the site. The impact would be negligible
	L+	-
	M+	-
	H+	-
DURATION	L	-

PART B: Assessment		
	M	-
	H	Where manifest, the impact will be permanent.
SPATIAL SCALE	L	Since the only possible fossils within the area would be fossil bones or plants from the Adelaide Subgroup in the shales or mudstones, the spatial scale will be localised within the site boundary.
	M	-
	H	-
PROBABILITY	H	-
	M	-
	L	It is extremely unlikely that any fossils would be found in the loose soils and sands that cover the area or in the dolerite that will be mined.. Nonetheless, a Fossil Chance Find Protocol should be added to the eventual EMPr.

Based on the nature of the project, surface activities may impact upon the fossil heritage if preserved in the development footprint. The geological structures suggest that the rocks are the wrong kind (dolerite) to contain fossils. Furthermore, the material to be mined is dolerite and this does not preserve fossils. Since there is a small chance that fossils from the adjacent Adelaide Subgroup may be disturbed a Fossil Chance Find Protocol has been added to this report. Taking account of the defined criteria, the potential impact to fossil heritage resources is low.

7. Assumptions and uncertainties

Based on the geology of the area and the palaeontological record as we know it, it can be assumed that the formation and layout of the dolerites, sandstones, shales and sands are typical for the country and only some might contain fossil plant, insect, invertebrate and vertebrate material. The dolerite and the sands of the Quaternary period would not preserve fossils.

8. Recommendation

Based on experience and the lack of any previously recorded fossils from the area, it is extremely unlikely that any fossils would be preserved in the dolerite or the overlying soils of the Quaternary. There is a very small chance that fossils may occur in the adjacent mudstones or shales of the Adelaide Subgroup so a Fossil Chance Find Protocol should be added to the EMPr. If fossils are found by the environmental officer, or other responsible person once mining has commenced then they should be rescued and a palaeontologist called to assess and collect a representative sample. The impact on the palaeontological heritage would be low, as far as the palaeontology is concerned, so the project should be authorised.

ASPECT	SCREENING TOOL SENSITIVITY	VERIFIED SENSITIVITY	OUTCOME STATEMENT/ PLAN OF STUDY	RELEVANT SECTION MOTIVATING VERIFICATION
Palaeontology	Zero	Low	Palaeontological Impact Assessment	Section 7.2. SAHRA Requirements

9. References

Anderson, J.M., Anderson, H.M., 1985. Palaeoflora of Southern Africa: Prodrum of South African megafloras, Devonian to Lower Cretaceous. A.A. Balkema, Rotterdam. 423 pp.

Bamford, M.K. 2004. Diversity of woody vegetation of Gondwanan southern Africa. *Gondwana Research* 7, 153-164.

Briggs, D.E.G., McMahon, S., 2016. The role of experiments in the taphonomy of exceptional preservation. *Palaeontology* 59, 1-11.

Cowan, R., 1995. *History of Life*. 2nd Edition. Blackwell Scientific Publications, Boston. 462pp.

Johnson, M.R., van Vuuren, C.J., Visser, J.N.J., Cole, D.I., Wickens, H.deV., Christie, A.D.M., Roberts, D.L., Brandl, G., 2006. Sedimentary rocks of the Karoo Supergroup. In: Johnson, M.R., Anhaeusser, C.R. and Thomas, R.J., (Eds). *The Geology of South Africa*. Geological Society of South Africa, Johannesburg / Council for Geoscience, Pretoria. Pp 461 – 499.

Plumstead, E.P., 1969. Three thousand million years of plant life in Africa. Geological Society of southern Africa, Annexure to Volume LXXII. 72pp + 25 plates.

Smith, R.M.H., Rubidge, B.S., Day, M.O., Botha, J., 2020. Introduction to the tetrapod biozonation of the Karoo Supergroup. *South African Journal of Geology* 123(2), 131-140.

Taverner-Smith, R., Mason, T.R., Christie, A.D.M., Smith, A.M., van der Spuy, M., 1988. Sedimentary models for coal formation in the Vryheid Formation, northern Natal. *Bulletin of the Geological Survey of South Africa*, 94. 46pp.

Viglietti, P.A., 2020. Biostratigraphy of the *Daptocephalus* Assemblage Zone (Beaufort Group, Karoo Supergroup). *South African Journal of Geology* 123, 191-206.

10. Fossil Chance Find Protocol

Monitoring Programme for Palaeontology – to commence once the excavations / drilling / mining activities begin.

1. The following procedure is only required if fossils are seen on the surface and when drilling/excavations/mining commence.
2. When excavations begin the rocks and discard must be given a cursory inspection by the environmental officer or designated person. Any fossiliferous material (plants, insects, bone or coal) should be put aside in a suitably protected place. This way the project activities will not be interrupted.
3. Photographs of similar fossils must be provided to the developer to assist in recognizing the fossil plants, vertebrates, invertebrates or trace fossils in the shales and mudstones (for example see Figure 7). This information will be built into the EMP's training and awareness plan and procedures.
4. Photographs of the putative fossils can be sent to the palaeontologist for a preliminary assessment.
5. If there is any possible fossil material found by the developer/environmental officer/miners then the qualified palaeontologist sub-contracted for this project, should visit the site to inspect the selected material and check the dumps where feasible.
6. Fossil plants or vertebrates that are considered to be of good quality or scientific interest by the palaeontologist must be removed, catalogued and housed in a suitable institution where they can be made available for further study. Before the fossils are removed from the site a SAHRA permit must be obtained. Annual reports must be submitted to SAHRA as required by the relevant permits.
7. If no good fossil material is recovered then no site inspections by the palaeontologist will be necessary. A final report by the palaeontologist must be sent to SAHRA once the project has been completed and only if there are fossils.
8. If no fossils are found and the excavations have finished then no further monitoring is required.

11. Appendix A – Examples of fossils from the Adelaide Subgroup



Figure 7: Photographs of fossil bones that could be found in the Adelaide Subgroup mudstones or shales, to assist the on-site responsible person.